



242L OFFSHORE

LENGTH	23'4" / 7.11 m
BEAM	102" / 2.6 m
MAXIMUM HP	300 HP / 224 kW
TRANSOM HEIGHT	25" / 0.64 m
APPROXIMATE DRAFT	20" / 0.51 m
DEADRISE @ TRANSOM	19°
DEADRISE @ ENTRY	42°
APPROXIMATE WEIGHT	4500 lbs. / 2041 kg
*FUEL CAPACITY	106 gal. / 401 l
IN-CONSOLE COOLER (LIVWELL OPTION)	15 gal. / 57 l
PORT & STARBOARD FISH BOXES (2)	30 gal. / 114 l
COCKPIT PRESSURIZED LIVWELL	19 gal. / 72 l
PERSONS/TOTAL WEIGHT	12 / 1925 lbs. / 873 kg
MAX WEIGHT CAPACITY	2750 lbs. / 1247 kg

COMFORT & CONVENIENCE

- SS Drink Holders - 10
- Fusion Stereo w/ 2 speakers
- Anti-Fatigue Mat

CONSOLE & HELM

- Custom Stainless Steel Wheel w/ Power Knob
- Simrad RS20 VHF Radio

CONSTRUCTION

- Wood Free Construction
- Limited Lifetime Hull Warranty
- Vinyl Ester Barrier Coat
- Fiberglass Stringer Grid System
- RTM Fiberglass Lids
- Molded Anchor Storage w/ Anchor
- Chrome 3D NauticStar Logo
- SS Floor Drains

FISHING FEATURES

- Dual Insulated Fish Boxes Fwd w/ Drain
- Stainless Steel GUNNEL Rod Holders - 10
- Horizontal GUNNEL Rod Holders - 3/Side
- Aft Port Livewell
- Aft Livewell Recirculation Pump - 500 GPH

HARDWARE

- Syntec Vinyl w/ Nano-Block Stain Protection
- Raw Water Washdown
- Raw Water Transom Shower
- Transshield Shipping Wrap
- Stainless Steel Latches
- Recessed Stainless Steel Bow Rails
- Stainless Steel Rub Rail
- Stainless Steel Thru Hull Fittings
- Stainless Steel Pull-Up Cleats - 6
- Brass Shut Off Ball Valves
- Flush Mount Compass
- Aft Livewell Aerator Pump - 800 GPH w/ Timer
- Auto Bilge Pump - 750 GPH
- Bilge Pump - 800 GPH
- Trim Tabs w/ LED Switch
- Engine Rigging
- Stainless Steel Propeller
- Top - Fiberglass White

MARINE GRADE ELECTRICAL SYSTEM

- Deutsch Electrical Connectors
- 12V Acc Plug
- LED Navigation and Courtesy Lights
- Aft Livewell LED Light



BUILD YOUR
NAUTICSTAR

AMENITIES

- 72 qt. Igloo Cooler
- 50 l Stryker Cooler Upgrade
- Fresh Water Kit
- Portable Toilet
- Ceramic Gravity Flush Toilet
- Phone Charger
- Ski Tow
- Underwater Light Kit
- 2-Battery Charger Kit - Crank/House Batteries

ANCHORS

- Standard Anchor
- Windlass w/ Anchor

COVER OPTIONS

- Top - Fiberglass White
- Top - Fiberglass Hull Upper Match
- Top - Fiberglass Hull Lower Match

FISHING

- Livewell - Plumbed For Offshore (Forward Livewell)
- Simrad® StructureScan
- XM Receiver

FLOORING OPTIONS

- SeaDek® Anti-fatigue Helm Mat
- Marine Non-Skid Decking Kit

FURNITURE OPTIONS

- Leaning Post - Upgrade
- Leaning Post - Deluxe w/ Flip-up Bolsters
- Bow Table and Cushion

GAUGES

- MFD Basic Direct Gauge Package
- MFD Direct Gauge Package - Advanced
- CL5 Gauge Package

HULL ZONE 1

- Hull Color- Entire Hull-White
- Hull Color- Entire Hull-Black
- Hull Color- Entire Hull-Pacific
- Hull Color- Entire Hull-Sea Foam
- Hull Color- Entire Hull-Slate
- Hull Color- Entire Hull-Carolina
- Hull Color- Upper-White
- Hull Color- Upper-Black
- Hull Color- Upper-Slate
- Hull Color- Upper-Carolina
- Hull Color- Upper-Pacific
- Hull Color- Upper-Sea Foam

HULL ZONE 2

- Hull Color- Lower-White
- Hull Color- Lower-Black
- Hull Color- Lower-Slate
- Hull Color- Lower-Carolina
- Hull Color- Lower-Pacific
- Hull Color- Lower-Sea Foam

INSTRUMENTATION

- Simrad® - NSX9 - 9" Screen w/ Blackout
- Simrad® - NSX9 - 9" Screen - Dual w/ Blackout
- Simrad® - NSS12 EVO3 - 12" Screen w/ Blackout
- Simrad® - NSS12 EVO3 - 12" Screen - Dual w/ Blackout

INTERIOR VINYL

- Upholstery - Shale/Harbour
- Upholstery - Khaki/Beach Sand
- Upholstery - Quilting Upgrade

MOTORS

- Yamaha - 250 SHO 25in (Grey)
- Yamaha - 300 Integrated Steering 25in (Grey)
- Yamaha - 300 Integrated Steering 25in (White)
- Mercury - 250 Four Stroke 25in (Black)
- Mercury - 250 Four Stroke 25in (White)
- Mercury - 300 Four Stroke 25in (Black)
- Mercury - 300 Four Stroke 25in (White)
- Suzuki - 250 Four Stroke 25in (White)
- Suzuki - 300 Four Stroke 25in (White)

POWDER COAT

- White
- Black



BUILD YOUR
NAUTICSTAR