

252 LEGACY

LENGTH	25' / 7.62 m
BEAM	102" / 2.59 m
MAXIMUM HP - TWIN	400 HP / 298 kW (twin 200 HP / 49 kW)
TRANSOM HEIGHT - TWINS	25" / 0.64 m
DRAFT (APPROX.)	15" / 0.38 m
DEADRISE @ TRANSOM	20°
DEADRISE @ ENTRY	45°
BRIDGE CLEARANCE (W/FIBERGLASS T-TOP)	8' 2" / 2.49 m
APPROXIMATE WEIGHT	4000 lbs.s / 1814 kg
***FUEL CAPACITY**	139 gal. / 556 l
AFT COOLER	18 gal. / 68 l
AFT BAITWELL (PORT SIDE)	30 gal. / 114 l
AFT FISH BOX	50 gal. / 189 l
LEANING POST BAITWELL	21 gal. / 79 l
PORT/STARBOARD BOW FISH BOXES	25 gal./Side / 95 l/Side
PERSONS/TOTAL WEIGHT	12 / 1675 lbs.s / 760 kg
MAX WEIGHT CAPACITY	3225 lbs.s / 1463 kg

FEATURES

COMFORT & CONVENIENCE
- Stainless Steel Drink Holders - 10
- Mid Ship Bolster Pads
- Plush 3-Across Aft Seating w/ Large Insulated Fish Box (50 gal.) & Cooler (18 gal.)
- Bow Seating w/ Flip-Out Backrest
- Bow Table and Cushion
- Fresh Water Kit
- Transom Shower w/ Pressurized galley
- Enclosed Head w/ LED Lighting, Sink & Mirror
- Insulated Bow Storage Box – Doubles as 2nd Fish Box or Cooler

CONSOLE & HELM
- Custom Stainless Steel Wheel w/ Power Knob
- Simrad RS20 VHF Radio
- Flush Mount Compass
- Fusion Stereo w/ Bluetooth & 4 Speakers

CONSTRUCTION
- Wood Free Construction
- Limited Lifetime Hull Warranty
- Vinyl Ester Barrier Coat
- Fiberglass Stringer Grid System
- RTM Fiberglass Lids
- Molded Anchor Storage
- Bow In - Floor Drop-In Tub/Storage
- Molded Anchor Storage
- Stainless Steel Floor Drains

FISHING FEATURES
- Dual Insulated Fish Boxes Fwd w/ Overboard Drain - 25gal./side
- Aft Port Livewell - 30gal.
- Aft Livewell Recirculation Pump - 500 GPH
- Stainless Steel Rod Holders - 4
- Horizontal Gunnel Rod Holders - 3/Side
- 2-Drawer Tackle Storage
- Leaning Post - Fiberglass w/ Livewell, LeBroc Seating w/ Flip-up Arms and Bolsters
- Aft Livewell Aerator Pump – 500GPH
- Aft Livewell Aerator Pump – 800GPH w/Timer
- Powder Coated Rocket Launcher Rod Holder – 4
- Powder Coated Rocket Launcher Rod Holders - 8

HARDWARE
- Syntec Vinyl w/ Nano-Block Stain Protection
- Dual Raw Water Washdown
- Raw Water Transom Shower
- Pressurized Freshwater System
- Transhield Shipping Wrap
- Stainless Steel Latches
- Recessed Stainless Steel Bow Rails
- Stainless Steel Rub Rail
- Stainless Steel Thru Hull Fittings
- Stainless Steel Pull-Up Cleats - 6
- Brass Shut Off Ball Valves
- Auto Bilge Pump - 750 GPH
- Bilge Pump - 800 GPH
- Trim Tabs w/ LED Switch
- Engine Rigging
- Stainless Steel Propeller
- Stainless Steel 4-Step Ladder
- Windlass w/Anchor

MARINE GRADE ELECTRICAL SYSTEM
- Deutsch Electrical Connectors
- Aft Livewell LED Light
- 12V Acc Plug
- Battery Tray for 3 Batteries
- LED Navigation and Courtesy Lights

OPTIONS

AMENITIES
- Overboard Waste Discharge
- Ceramic Gravity Flush Toilet
- Underwater Light Kit
- 3-Battery Charger Kit

COVER OPTIONS
- Top - Fiberglass White
- Top - Fiberglass Hull Upper Match
- Top - Fiberglass Hull Lower Match

FISHING
- Simrad® StructureScan
- XM Weather/Fish Finding

FLOORING
- Anti-Fatigue Helm Mat
- Marine Mat Main Deck Kit

GAUGES
- MFD Direct Interface Kit
- CL5 Gauge Package

HULL ZONE 1
- Hull Color- Entire Hull-White
- Hull Color- Entire Hull-Black
- Hull Color- Entire Hull-Sea Foam
- Hull Color- Entire Hull-Slate
- Hull Color- Entire Hull-Carolina
- Hull Color- Upper-White
- Hull Color- Upper-Black
- Hull Color- Upper-Slate
- Hull Color- Upper-Carolina
- Hull Color- Upper-Sea Foam

HULL ZONE 2
- Hull Color- Lower-White
- Hull Color- Lower-Black
- Hull Color- Lower-Slate
- Hull Color- Lower-Carolina
- Hull Color- Lower-Sea Foam
-

IDENTIFICATION LABEL
- NauticStar Logo Package - Chrome
- NauticStar Logo Package - Matte Black
- NauticStar Logo Package - Black Chrome

INSTRUMENTATION
- Simrad® - NSX9 - 9" Screen w/ Blackout
- Simrad® - NSX9 - 9" Screen - Dual w/ Blackout
- Simrad® - NSS12 EVO3 - 12" Screen w/ Blackout
- Simrad® - NSS12 EVO3 - 12" Screen - Dual w/ Blackout

INTERIOR VINYL
- Upholstery - Shale/Harbour
- Upholstery - Khaki/Beach Sand
- Upholstery - Quilting Upgrade

MOTORS
- Twin Yamaha - 150 Integrated Steering 25in (Grey)
- Twin Yamaha - 150 Integrated Steering 25in (White)
- Twin Yamaha - 200 Integrated Steering 25in (White)
- Twin Mercury - 150 Four Stroke 25in (Black)
- Twin Mercury - 200 Four Stroke 25in (Black)
- Twin Suzuki - 150 Four Stroke 25in (White)
- Twin Suzuki - 175 Four Stroke 25in (White)
- Twin Suzuki - 200 Four Stroke 25in (White)

POWDER COAT
- White
- Black